



CorePro LEDspot MV

Corepro LEDspot 4.6-50W GU10 840 36D

CorePro LEDspots are a perfect fit for spot lighting and deliver warm halogen-like light. They are compatible with most existing fixtures with a GU10 or E27 base and are designed as a retrofit replacement for halogen or incandescent spots. CorePro LEDspots deliver significant energy savings and minimize maintenance cost.

Product data


General Information		Power (Rated) (Nom)		4.6 W
Cap-Base	GU10 [GU10]	Lamp Current (Nom)	39 mA	
Nominal Lifetime (Nom)	15000 h	Wattage Equivalent	50 W	
Switching Cycle	50000X	Starting Time (Nom)	0.5 s	
Technical Type	4.6-50W	Warm Up Time to 60% Light (Nom)	0.5 s	
Light Technical		Power Factor (Nom)	0.5	
Color Code	840 [CCT of 4000K]	Voltage (Nom)	220-240 V	
Beam Angle (Nom)	36 °	Temperature		
Luminous Flux (Nom)	390 lm	T-Case Maximum (Nom)	85 °C	
Luminous Flux (Rated) (Nom)	390 lm	Controls and Dimming		
Luminous Intensity (Nom)	770 cd	Dimmable	No	
Color Designation	Cool White (CW)	Approval and Application		
Rated Beam Angle	36 °	Suitable For Accent Lighting	Yes	
Correlated Color Temperature (Nom)	4000 K	Energy Efficiency Label (EEL)	A++	
Luminous Efficacy (Rated) (Nom)	84.78 lm/W	Energy Consumption kWh/1000 h	5 kWh	
Color Consistency	<6	Product Data		
Color Rendering Index (Nom)	80	Full product code	871869672839000	
LLMF At End Of Nominal Lifetime (Nom)	70 %	Order product name	Corepro LEDspot 4.6-50W GU10 840 36D	
Luminous Flux in 90° Cone (Rated)	390 lm	EAN/UPC - Product	8718696728390	
Operating and Electrical				
Input Frequency	50 to 60 Hz			

CorePro LEDspot MV

Order code	929001218202
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	10
Material Nr. (12NC)	929001218202

Net Weight (Piece)	0.038 kg
--------------------	----------


Dimensional drawing




GU10 230V 4W-35W 260lm 100D 3000K GU10ND

Product	D	C
Corepro LEDspot 4.6-50W GU10 840 36D	50 mm	54 mm


Photometric data



Technical Information 11 Phot Lighting 11 Page 107




CorePro LEDspotMV 50W GU10 830 36D CLA




CorePro LEDspotMV 25W GU10 840 36D

CorePro LEDspot MV

Lifetime



CLA LEDspotMV 50W GU10 827 36D ND



CLA LEDspotMV 50W GU10 827 36D ND

